
# TOWN OF NEWPORT NEW HAMPSHIRE

# SIDEWALK IMPROVEMENTS (2019)

MAIN STREET, PARK STREET AND NORTH MAIN STREET

### INDEX

SHEET	DESCRIPTION
NO.	
1	COVER SHEET
2	GENERAL NOTES AND LEGEND
3-4	<b>CONSTRUCTION PLANS 1-2</b>
5	<b>CONSTRUCTION DETAILS</b>



Locus Map

Not to Scale



#### **GENERAL NOTES**

- 1. BASE MAP INFORMATION IS PROVIDED BY PROMISED LAND SURVEY OF DERRY, NH. SURVEY WAS COMPLETED IN DECEMBER 2018.
- 2. ELEVATIONS ARE BASED ON NATIONAL GEODETIC VERTICAL DATUM.
- 3. THE CONTRACTOR SHALL VERIFY ALL RELEVANT ANGLES, LENGTHS, ELEVATIONS, AND INVERTS PRIOR TO CONSTRUCTION.
- 4. THE LOCATION OF EXISTING UTILITIES AND SUBSURFACE STRUCTURES AS SHOWN ON THE DRAWINGS ARE APPROXIMATE ONLY. THE CONTRACTOR SHALL NOTIFY THE ENGINEER AND APPROPRIATE UTILITY AUTHORITY OF ANY DISCREPANCY WITH THE DRAWINGS. NEITHER THE ENGINEER NOR THE OWNER WARRANTS OR GUARANTEES THE CONDITIONS SHOWN ON THE DRAWINGS.
- 5. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL SUBSURFACE STRUCTURES AND UTILITIES THROUGH THE APPROPRIATE AGENCY. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO ANY EXCAVATION. THE CONTRACTOR SHALL CALL THE DIG—SAFE CENTER (1—888—344—7233) AT LEAST 72 BUSINESS HOURS PRIOR TO ANY EXCAVATION.
- 6. THE CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ACTIVITY WITH THE VARIOUS AFFECTED UTILITY AUTHORITIES TO PREVENT UNNECESSARY DELAY OF WORK OR INTERRUPTION OF SERVICES.
- 7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING AND SUPPORTING ALL UTILITIES DURING CONSTRUCTION AND FOR COORDINATING SUCH ACTIVITY WITH THE APPROPRIATE UTILITY AUTHORITY. UTILITIES DESTROYED OR DAMAGED BY THE CONTRACTOR SHALL BE REPAIRED OR REPLACED AS DIRECTED BY THE UTILITY AUTHORITY AT NO ADDITIONAL COST TO THE OWNER.
- 8. THE CONTRACTOR SHALL MAINTAIN TRAFFIC IN A SAFE MANNER AT ALL TIMES DURING CONSTRUCTION AND IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND AS REQUIRED BY THE NHDOT. IT IS UNDERSTOOD THAT NO ROADWAYS WILL BE CLOSED AND NO DETOURS WILL BE PERMITTED TO ACCOMMODATE CONSTRUCTION AND THE CONTRACTOR SHALL PLAN THE CONSTRUCTION ACTIVITIES ACCORDINGLY.
- 9. THE CONTRACTOR SHALL INSTALL AND MAINTAIN ACCESS TO ALL ABUTTING PROPERTIES WITHIN THE PROJECT AREA AT ALL TIMES, UNLESS OTHERWISE APPROVED BY THE OWNER.
- 10. THE CONTRACTOR SHALL CONFINE ALL OPERATIONS AND ACTIVITIES FOR CONSTRUCTION PURPOSES TO THE TOWN'S RIGHT—OF—WAY OR IN STAGING/STOCKPILE AREAS APPROVED BY THE TOWN. THE CONTRACTOR SHALL LOCATE STAGING AREAS THROUGH AGREEMENTS WITH AFFECTED PROPERTY OWNERS, OR PROVIDE ALTERNATE MEANS TO STORE MATERIAL AT THE WORK AREA AS REQUIRED.
- 11. DURING NON-WORKING HOURS, THE CONTRACTOR SHALL SECURE ALL EQUIPMENT AND MATERIALS WITHIN THE LIMITS OF WORK.
- 12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO EXISTING PAVEMENT, ROADWAYS, SIGNS, CURBS, SIDEWALKS, DRIVEWAYS, MAILBOXES, FENCES, PLANTINGS OR OTHER PHYSICAL FEATURES CAUSED BY THE CONTRACTOR'S ACTIVITIES AND SHALL REPAIR THEM AT NO ADDITIONAL COST TO THE OWNER. ALL AREAS BEYOND THE LIMITS OF CONSTRUCTION WHICH ARE DISTURBED BY THE CONTRACTOR SHALL BE RESTORED TO THEIR ORIGINAL CONDITION AT NO ADDITIONAL COST TO THE OWNER.
- 13. THE CONTRACTOR SHALL TAKE PRECAUTIONS DURING CONSTRUCTION TO MINIMIZE THE AMOUNT OF DEBRIS THAT COLLECTS IN CATCH BASINS, CULVERTS AND MANHOLES. THE CONTRACTOR SHALL CLEAN ALL CATCH BASINS, CULVERTS AND MANHOLES AFFECTED BY CONSTRUCTION IN ORDER TO MAINTAIN AN OPERATING SYSTEM.
- 14. ALL EXISTING CURB, SIGNS, DRAINAGE STRUCTURES, UTILITIES AND ANY OTHER MATERIALS WITHIN THE RIGHT OF WAY THAT ARE REMOVED BY THE CONTRACTOR MAY BE INSPECTED BY THE OWNER. THE OWNER RESERVES THE RIGHT TO RETAIN OWNERSHIP AND MAY DIRECT THE CONTRACTOR TO SALVAGE AND STOCKPILE ANY SUCH EXISTING MATERIALS AT NO ADDITIONAL COST TO THE OWNER. ANY EXISTING MATERIALS THE OWNER CHOOSES NOT TO SALVAGE AND STOCKPILE SHALL BE REMOVED AND DISPOSED OF BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE OWNER.
- 15. ALL WORK SHALL BE DONE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL CODES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL REQUIRED PERMITS FROM APPLICABLE GOVERNMENTAL AGENCIES, INCLUDING THE OWNER, PRIOR TO THE START OF ANY CONSTRUCTION.
- 16. THE CONTRACTOR IS REQUIRED TO PROVIDE ADEQUATE SHORING FOR THE SOIL CONDITIONS AND DEPTHS ENCOUNTERED DURING CONSTRUCTION.
- 17. IN THE EVENT THE CONTRACTOR ENCOUNTERS EXISTING MATERIAL REASONABLY BELIEVED TO BE HAZARDOUS WHICH HAS NOT BEEN RENDERED HARMLESS, THE CONTRACTOR SHALL IMMEDIATELY STOP WORK IN THE AFFECTED AREA AND REPORT THE CONDITION TO THE OWNER AND ENGINEER. WORK IN THE AFFECTED AREA SHALL NOT RESUME UNTIL WRITTEN VERIFICATION BY THE OWNER THAT THE MATERIAL HAS BEEN REMOVED OR OTHERWISE BEEN RENDERED HARMLESS.
- 18. THE CONTRACTOR AND ALL SUBCONTRACTORS SHALL FAMILIARIZE THEMSELVES WITH THE CONTRACT DOCUMENTS. ALL DRAWINGS OF ANY PARTICULAR TRADE SHALL BE USED IN CONJUNCTION WITH DRAWINGS OF ALL OTHER TRADES TO COORDINATE THE CONSTRUCTION. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER BEFORE PROCEEDING WITH THE AFFECTED WORK. ANY PROPOSED CHANGES, VARIATIONS, OR SUBSTITUTIONS MUST BE REVIEWED AND ACCEPTED BY THE ENGINEER PRIOR TO IMPLEMENTATION.
- 19. ALL PROPOSED WORK WILL BE COMPLETED IN ACCORDANCE WITH NHDOT STANDARD SPECIFICATIONS AND DETAILS (LATEST VERSION AND ALL AMENDMENTS) UNLESS OTHERWISE NOTED ON THESE PLANS OR SPECIFIED IN THE CONTRACT DOCUMENTS.
- 20. ALL CATCH BASIN GRATES AND FRAMES SHALL BE TYPE "B" IN ACCORDANCE WITH NHDOT STANDARD DR-1.
- 23. ALL WATER GATES, MANHOLES AND CATCH BASINS WITHIN THE PROJECT LIMITS WILL BE ADJUSTED TO GRADE BY THE CONTRACTOR. GAS GATES AND TELEPHONE MANHOLES WILL BE ADJUSTED BY THE EFFECTED UTILITY COMPANY. THE CONTRACTOR WILL COORDINATE ALL UTILITY RELOCATIONS (BY OTHERS) WITH THE APPROPRIATE UTILITY COMPANY.

# LEGEND

#### GENERAL SYMBOLS

#### PAVEMENT MARKINGS AND SIGNING SYMBOLS

<u>ISTING</u>	<u>PROPOSED</u>	EXISTING	<u>PROPOS</u>	<u>SED</u>
⊞ (CB OR DI)		CATCH BASIN (OR GUTTER INLET)  CURB (OR BERM) — TYPE NOTED	<b>(</b>	DIRECTION OF FLOW
		EDGE OF PAVEMENT	<i>→</i>	PAVEMENT ARROW AND LEGEND
○ EMH	● EMH	ELECTRIC MANHOLE	ONLY	
○ TMH	● TMH	TELEPHONE MANHOLE	<u>SL</u>	STOP LINE - 18" WHITE LINE 4' BEHIND CW (TYP.)
○ WMH	• WMH	WATER MANHOLE	•	SIGN AND POST
SMH	• SMH	SEWER MANHOLE	SSWL	SINGLE SOLID WHITE LINE - 4"
O DMH	DMH	DRAIN MANHOLE	SSYL	SINGLE SOLID YELLOW LINE - 4"
o GG	• GG	GAS GATE	BYCL	BROKEN YELLOW CENTERLINE - 4"
• WG	• WG	WATER GATE	DSL	DOUBLE YELLOW LINE - 2-4" LINES
• CS	• CS	CURB STOP	<i>5</i> 52	DOODLE TELLOW LINE - Z-4 LINES
<u></u>		HYDRANT		
O FA	•	FIRE ALARM BOX	ABBR	EVIATIONS
×	$\times$	STREET LIGHT	ABAN.	ABANDON
		ORNAMENTAL LIGHT POLE	ADJ.	ADJUST
-0-	( <del></del>	UTILITY POLE	EXIST.	EXISTING
—0	-•	GUY POLE	PROP.	PROPOSED
D	— D ——	DRAIN PIPE	R&D R&R	REMOVE AND DISPOSE  REMOVE AND RESET
—S——	— s ——	SEWER PIPE	R&S	REMOVE AND STACK
	= = = =	ELECTRIC CONDUIT FOR SIGNALS	R.C.P.	REINFORCED CONCRETE PIPE (CLASS III UNLESS NOTED)
—Е—	—Е— —	ELECTRIC CONDUIT FOR LIGHTING	СВ	CATCH BASIN
—	— G ——	GAS MAIN	MH WG	MANHOLE WATER GATE
——W——	—	WATER MAIN	GG	GAS GATE
—т—	— T ———	TELEPHONE DUCT	BIT.	BITUMINOUS
	<b>■</b> MB	MAIL BOX	CEM.	CEMENT
	WID .	WITHE BOX	PVMT.	PAVEMENT
<u> </u>		HIGHWAY GUARD (TYPE NOTED)	CONC. GRAN.	CONCRETE GRANITE
■ MHB,SB,CB	MHB,SB,CB ■	HIGHWAY / PROPERTY BOUND (TYPE NOTED)	INV. EL.	INVERT ELEVATION
3		TREE (SIZE AND TYPE NOTED)	DWY.	DRIVEWAY
XX	XXX	FENCE (SIZE AND TYPE NOTED)	SDWK. WCR	SIDEWALK WHEELCHAIR RAMP
		RIGHT-OF-WAY LINE	WOIN	THE COLUMN TO MAIN
		PROPERTY SIDE LINE		
		TEMPORARY EASEMENT		
		PERMANENT EASEMENT		
		STONE APRON		

			REVISIONS
NUMBER	DATE	BY	DESCRIPTION





P.O. Box 432 New Boston, NH 03070 (603) 413-6650 NO SCALE

SIDEWALK IMPROVEMENTS
2019


NEWPORT, NEW HAMPSHIRE

GENERAL NOTES AND LEGENDS

2

SHEET NO.

MARCH 2019



NUMBER DATE BY DESCRIPTION	MCHAEL MICHAEL	P.O. Box 432 New Boston, NH 03070	10 0 10 20 SCALE 1" = 10'	SIDEWALK IMPROVEMENTS 2019 NEWPORT, NEW HAMPSHIRE	SHEET NO.
	3-29-2019	(603) 413-6650		CONSTRUCTION PLAN-1	MARCH 2019



REMOVE PAVEMENT AND PAVE
MEY DRIVEWAY TO EDG OF
ROADWAY PAVEMENT (TYP.)

NORTH MAIN STREET

PROPOSED 6'
SIDEWALK

MATCH TO EXIST.
CONC. TIP DOWN

PROPOSED 6'
SIDEWALK

<u>SCHEMATIC PLAN - NORTH MAIN STREET</u>


SCHEMATIC PLAN - NORTH MAIN STREET




SCHEMATIC PLAN - NORTH MAIN STREET AND PARK STREET

### **NOTES**

- 1. ALL EXISTING FEATURES (WALLS, CURBS, TREES, WALKWAYS, DRIVEWAYS) AT THE BACK OF THE SIDEWALK SHALL REMAIN UNLESS OTHERWISE NOTED.
- 2. EXISTING SIDEWALK CONCRETE, BITUMINOUS PAVING AND GRAVEL MATERIAL WILL BE EXCAVATED, REMOVED AND DISPOSED OF BY THE CONTRACTOR UNLESS OTHERWISE DIRECTED BY THE TOWN.
- 3. WORK SHALL BE IN CONFORMANCE WITH THE NHDOT STANDARD SPECIFICATIONS.




#### 



# KVPartners LLC

P.O. Box 432 New Boston, NH 03070 (603) 413-6650




SIDEWALK	IMPROVEMENTS
	2019

NEWPORT, NEW HAMPSHIRE

CONSTRUCTION PLAN-2

SHEET NO.

MARCH 2019



			REVISIONS
NUMBER	DATE	BY	DESCRIPTION



## KVPartners LLC

P.O. Box 432 New Boston, NH 03070 (603) 413-6650

CALE AS NOTED
---------------

SIDEWALK IMPROVEMENTS 2019	
NEWPORT, NEW HAMPSHIRE	
CONSTRUCTION DETAILS	

MARCH 2019